

Rittal Configuration System

Online konfigurator za Rittalove ormare

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL


IT INFRASTRUCTURE

SOFTWARE & SERVICES



Rittal Konfigurator

Jednostavnost konfiguracije



1
2
3
4

Odaberite sustav

Samostalni ormar, sustav ormara, različite dimenzije

Konfigurirajte ormar

Odaberite dodatnu opremu, isplanirajte rupe i izreze

Izradite CAD datoteku

Ogromna ušteda vremena zahvaljujući generiranju CAD datoteke cjelokupne konfiguracije

Pošaljite upit / naručite

Spremite konfiguraciju, pošaljite upit ili narudžbu

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

PM-M | N. Trem | 19.07.2018

2



Rittal Konfigurator

Početna stranica

The screenshot shows the Rittal Configuration System website. At the top, there is a navigation bar with 'Rittal Configuration System' on the left, 'Functions' and 'Help & Support' in the center, and the Rittal logo on the right. Below the navigation bar, the main heading reads 'Easily configure enclosure systems and submit an enquiry or order'. Underneath, it says 'Choose your enclosure system'. There are two main categories: 'Small enclosures and compact enclosures' and 'Large enclosures'. The 'Large enclosures' category is highlighted with a red border. Below this, there is a detailed view of the 'Large enclosures' section. It includes a sub-heading 'Large enclosures' and a paragraph: 'For configuration, Rittal offers large enclosures in a range of sizes and designs.' followed by two bullet points: 'Materials, sizes and enclosure designs are tailored to all major requirement profiles.' and 'Benefit from the solution diversity of Rittal system accessories.' To the right of this text is a section titled 'Types and details' with a sub-heading 'Baying enclosure system VX25' and a paragraph: 'Large sheet steel enclosure with symmetrical frame, with 25 mm pitch pattern of holes throughout. Including door and mounting plate to protect medium-size and large switchgear and controlgear.' Below this text is a 'Configurator' section with two radio button options: 'Free-standing enclosure' (selected) and 'Baying'. A 'Configure now' button is located below these options. A red 'X' icon is visible in the top right corner of the detailed view area.

- Rittalovom konfiguratoru se pristupa putem Rittalove web stranice
- Jednostavno odaberite traženi ormar na početnoj stranici konfiguratora
- Ukoliko je primjenjivo, odaberite između samostojećeg i zidnog kućišta

Rittal Konfigurator

Izravne poveznice

Rittal – The System.
Faster – better – everywhere.

START PRODUCTS COMPANY INDUSTRIES SUPPORT Wishlist [0]

Product – Enclosures – Enclosure systems – Baying enclosure system VX25, sheet steel – Baying enclosure system VX25 Basic enclosure – VX 8806.000

Configurators

- Enclosures
 - Small enclosures
 - Compact enclosures
 - Enclosure systems
 - Baying enclosure system VX25, sheet steel**
 - Baying systems TS 8, sheet steel
 - Baying systems TS 8, power distribution
 - System enclosures SE 8
 - IT enclosure systems
 - IT enclosures
 - Console systems/PC enclosure systems/Industrial Workstations
 - Operating housings/ support arm systems/ stand systems
 - Hygienic Design
 - Stainless steel
 - Special applications
 - Outdoor enclosures
- Power distribution
- Climate control

Baying enclosure system VX25 Basic enclosure
Model No. VX 8806.000

Product Lifecycle **Active**

No. of packs*
1 Add to wishlist
* Pack of sale = 1 pc(s).

More on the product

- Create PDF of this page
- Configure product**

- Izravne poveznice na konfigurator mogu se pronaći unutar pregleda detalja individualnih proizvoda, kao što je prikazano na primjeru artikla šifre 8806.000. U tom slučaju preskače se početna stranica.



Configure product

Configure product

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



Rittal Konfigurator

Odaberite dimenzije i tip ormara

Rittal Configuration System

1 Type and size 2 System accessories 3 Your configuration 4 Order

Enclosure: Baying enclosure system VX25 Basic enclosure (800x2000x600mm) Next

Enclosures

Search

Type of enclosure

- VX25
- TS 8
- SE 8


Width [mm] ▶

Height [mm] ▶

Depth [mm] ▶

Doors ▶

Article number	Description	Type of enclosure	Width [mm]	Height [mm]	Depth [mm]	Doors
<input type="radio"/> 8881.000	Baying enclosure system V X25 Basic enclosure	VX25	800	1800	600	2
<input type="radio"/> 8804.000	Baying enclosure system V X25 Basic enclosure	VX25	800	2000	400	1
<input type="radio"/> 8805.000	Baying enclosure system V X25 Basic enclosure	VX25	800	2000	500	1
<input checked="" type="radio"/> 8806.000	Baying enclosure system V X25 Basic enclosure	VX25	800	2000	600	1
<input type="radio"/> 8808.000	Baying enclosure system V X25 Basic enclosure	VX25	800	2000	800	1
<input type="radio"/> 8826.000	Baying enclosure system V X25 Basic enclosure	VX25	800	2200	600	1
<input type="radio"/> 8084.000	Baying enclosure system V X25 Basic enclosure	VX25	1000	1800	400	1
<input type="radio"/> 8080.000	Baying enclosure system V X25 Basic enclosure	VX25	1000	1800	400	2
<input type="radio"/> 8004.000	Baying enclosure system V X25 Basic enclosure	VX25	1000	2000	400	2
<input type="radio"/> 8005.000	Baying enclosure system V X25 Basic enclosure	VX25	1000	2000	500	2
<input type="radio"/> 8006.000	Baying enclosure system V X25 Basic enclosure	VX25	1000	2000	600	2



+ Descriptions

+ Features

1 Type and size 2 System accessories 3 Your configuration 4 Order

- Korak 1 “Type and size” vodi vas na odabir tipa i dimenzija ormara
- Filteri s lijeve strane omogućuju vam smanjivanje liste artikala ovisno o potrebnim postavkama ormara

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

Rittal Konfigurator

Odabir opreme – brzo pretraživanje (Quick finder)

Rittal Configuration System

1 Type and size 2 **System accessories** 3 Modification 4 Your configuration 5 Order

Select recommended accessories

- Side panels, screw-fastened, sheet steel**
For baying enclosure system VX25. Colour: RAL 7035. Protection category IP to IEC 60 529: IP 55
- Plinth system VX, sheetsteel**
The base/plinth is comprised of base/plinth corner pieces with base/plinth trim panels, front and rear and base/plinth trim panels, side. Colour: RAL 9005
- Hinges 180 degree**
For VX25 baying enclosure system, may be fitted without machining the door. Material: Steel/precision-cast. Colour: RAL 7035
- System light**
Light with motion detector, with 1200 lumen luminosity, including connection accessories. Material: Plastic and aluminium. Colour: Enclosure RAL 7016

Next (accessories catalog) Next (Your Configuration)

3D Model: + Descriptions + Features

1 Type and size 2 **System accessories** 3 Modification 4 Your configuration 5 Order

- Opcija brzog pretraživanja preporučuje opremu za odabrani ormar
- Nakon toga, možete nastaviti s listom dijelova “Your configuration” ...
- ... Ili odabrati još opreme iz kataloga i/ili modifikacije kao što su rupe i izrezi

ENCLOSURES

POWER DISTRIBUTION


CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

Rittal Konfigurator

Odabir opreme – još dodatne opreme



1 Type and size 2 System accessories 3 Modification 4 Your configuration 5 Order

- U ovom koraku možete dodati opremu iz cjelokupne ponude
- Pružene opcije olakšavaju odabir adekvatne opreme
- Provjeravaju se kompatibilnosti odabrane opreme i opcija ugradnje
- 3D vizualizacija omogućuje vam izravno praćenje svakog zasebnog koraka konfiguracije

ENCLOSURES

POWER DISTRIBUTION


CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

Rittal Konfigurator

Planiranje izrezivanja i bušenja



1 Type and size 2 System accessories 3 Modification 4 Your configuration 5 Order

- Alati za jednostavno planiranje izrezivanja i bušenja
- Dostupni brojni predefimirani predlošci za rupe i izreze
- Provjera preklapanja osigurava jednostavno i bezgrešno planiranje
- Rupe i izrezi su vizualno prikazani za vrijeme konfiguracije

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

PM-M | N. Trem | 19.07.2018

8



Rittal Konfigurator

Izrezi i rupe – učitavanje CAD podataka

Rittal Configuration System

1 Type and size 2 System accessories 3 Modification 4 Your configuration 5 Order

Cut-outs and drilled holes

Next

Surface modifications

Enclosure frame:

- Roof Outside | Inside
- Front door Outside | Inside
- Rear panel Outside | Inside
- Mounting plate Front | Rear
- Side panel left Outside | Inside
- Side panel right Outside | Inside
- Base plate, first from left, first from rear Top
- Base plate, first from left, third from rear Top

Edit surface

Import CAD data

Select the surface in which you wish to create cut-outs or holes.

You can also use your own CAD data by selecting "Import CAD data". To support your engineering, a collision test is carried out to prevent components and restricted areas overlapping.

Restricted areas are highlighted in red. A preview of the created cut-out or drilled hole is available in a 3D view.

3D Model View

+ Descriptions
+ Features

1 Type and size 2 System accessories 3 Modification 4 Your configuration 5 Order

- Vaše CAD datoteke dxf ili dwg formata možete jednostavno importirati za daljnju obradu



Import CAD data

Use "Upload" button to upload files. You can choose multiple files at once.
Maximum 5 files and maximum size 5 MB per file

Upload

Rittal Konfigurator

Sastavnice

Rittal Configuration System

1 Type and size 2 System accessories 3 Modification 4 Your configuration 5 Order

Next

Position	Model number	Description	Status	Colour	Width (mm)	Height (mm)	Depth (mm)
1	8806.000	Baying enclosure system VX25 Basic enclosure	●	RAL 7035	800	2000	600

Position	Model number	Description	Quantity	Unit	Status	Remove / change	Assembly
2.1	8820.003	Base/plinth corner piece with base/plinth trim panels, front and rear, 100 mm for VX, TS, TS IT, SE, PC, IW, TP, CM	1	Pcs.)	●	🗑️	Enclosure frame
2.2	8820.003	Base/plinth corner piece with base/plinth trim panels, front and rear, 100 mm for VX, TS, TS IT, SE, PC, IW, TP, CM	1	Pcs.)	●	🗑️	Enclosure frame
2.3	8820.033	Base/plinth trim panels, side, 100 mm for base/plinth system VX	1	Pcs.)	●	🗑️	Enclosure frame
2.4	8820.033	Base/plinth trim panels, side, 100 mm for base/plinth system VX	1	Pcs.)	●	🗑️	Enclosure frame
3.1	8108.245	Side panels, screw-fastened, sheet steel for VX	1	Pcs.)	●	🗑️	Enclosure frame
3.2	8108.245	Side panels, screw-fastened, sheet steel for VX	1	Pcs.)	●	🗑️	Enclosure frame
4	2741.000	Operating panel	1	Pcs.)	●	🗑️	Front door
4.1	2749.000	Cam lock	1	Pcs.)	●	🗑️	Operating panel
4.2	2791.000	Viewing window for operating panel	1	Pcs.)	●	🗑️	Operating panel

Assembly	Cut-outs	Bolts	Nuts	Threaded holes
Front door	5	0	0	0
Rear panel	40	0	0	0



+ Descriptions
+ Features

1 Type and size 2 System accessories 3 Modification 4 Your configuration 5 Order

- Svoju listu odabranih artikala (sastavnicu) možete pogledati u bilo kojem trenutku putem izbornika - "Your configuration"

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

Rittal Konfigurator

Spremite i ponovno koristite sastavnice i konfiguracije

Rittal Configuration System

1 Type and size > 2 System accessories > 3 Modification > 4 Your configuration > 5 Order

Please state the order quantity. [Ask for inquiry](#)

Quantity	Description
1	Baying enclosure system VX25 Basic enclosure

Order overview of enclosure

Position	Model number	Description	Quantity	Unit	Colour	Hint
1	8808.000	Baying enclosure system VX25 Basic enclosure	1	Pcs.	RAL 7035	

Order overview of system configuration

Position	Model number	Description	Quantity	Unit	Installation
2	2741.000	Operating panel	1	Packs of (1Packs of=1Pcs.)	Customer
3	2749.000	Cam lock	1	Packs of (1Packs of=1Pcs.)	Customer
4	2791.000	Viewing window for operating panel	1	Packs of (1Packs of=1Pcs.)	Customer
5	8108.245	Side panels, screw-fastened, sheet steel for VX	1	Packs of (1Packs of=2Pcs.)	Customer
6	8820.003	Base/plinth corner piece with base/plinth trim panels, front and rear, 100 mm for VX, TS, TS IT, SE, PC, IW, TP, CM	1	Packs of (1Packs of=2Pcs.)	Customer
7	8820.033	Base/plinth trim panels, side, 100 mm for base/plinth system VX	1	Packs of (1Packs of=2Pcs.)	Customer

Certification

UL	IP standard enclosure	NEMA
No	IP55	1, 12

Internal note

Variant type

0

+ Descriptions
+ Features

1 Type and size > 2 System accessories > 3 Modification > 4 Your configuration > 5 Order

U "Order" izborniku možete preuzeti ili printati sastavnice vaše konfiguracije



Datoteka konfiguracije koju trenutno radite se također može preuzeti za ponovnu uporabu u kasnijim konfiguracijama



ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

PM-M | N. Tremel | 19.07.2018

11



Rittal Konfigurator

Narudžbe, upiti, paket podataka

Rittal Configuration System

1 Type and size > 2 System accessories > 3 Modification > 4 Your configuration > 5 Order

Please state the order quantity. Ask for inquiry Forward technical data

Quantity	Description
1	Baying enclosure system VX25 Basic enclosure

Order overview of enclosure

Position	Model number	Description	Quantity	Unit	Colour	Hint
1	8806.000	Baying enclosure system VX25 Basic enclosure			Pst(c)	RAL 7035

Order overview of system configuration

Position	Model number	Description
2	2741.000	Operating panel
3	2749.000	Cam lock
4	2791.000	Viewing window
5	8106.245	Side panels, scr

Forward technical data

We need the following information from you (* indicates mandatory fields):

Name**

E-mail**

Comment

Send Close

3D model of the enclosure system.

+ Descriptions
+ Features

1 Type and size > 2 System accessories > 3 Modification > 4 Your configuration > 5 Order

- Da biste zatvorili proces možete tražiti ponudu za odabranu konfiguraciju putem e-maila
- Osim toga, za istu konfiguraciju možete tražiti i samo paket podataka putem adekvatne on-line forme

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP


PM-M | N. Trem | 19.07.2018

12



Rittal Konfigurator

Rezultati – paket podataka konfiguracije



- Paket podataka s proizvodnim dokumentima generira se za konfigurirani sustav
- Navedene podatke možete koristiti za daljnje promjene i nadogradnje sustava
- Podaci su dostupni u izborniku pod prozorom “Order” na kraju konfiguracije

Rittal Konfigurator

Prednosti



- Jednostavan odabir ormara i opreme
- Ušteda vremena
- Odabir opreme bez mogućnosti greške
- Jednosatno planiranje mehaničkih modifikacija
- Automatsko generiranje proizvodnih dokumenata i paketa podataka
- Ogromna ušteda vremena u fazi planiranja zahvaljujući dostupnosti CAD datoteka za cjelokupnu konfiguraciju
- Jednostavna obrada i proizvodnja konfiguriranih ormara zahvaljujući CNC datoteci za Perforex



ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

PM-M | N. Trem | 19.07.2018

14



Thank you.

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

